

Laurens Classic EXTRA
Sondermassmodell | Made to measure

FAX / E-MAIL message

Fax Bestellung | order:

CZ: +420 519 430111*
BE: +32 11 555778
DE: +49 2324 346853
PL: +48 32 7853957

*) Direktlinie Werk | directline to the production

E-Mail Bestellung | order:

laurens@laurensint.com

Firma | company name:


Kontaktperson | contact person:

Adresse | address:


Telefon Nr. | phone no.:

E-Mail | e-mail:

Notiz | notes:



Empfohlene Höhen | recommended heights:
(B = 740, 960, 1320, 1680, 1850mm)
B_{min} = 400mm, B_{max} = 1850mm



Empfohlene Breiten | recommended widths:
(A = 300, 400, 450, 500, 600, 750, 1000mm)

Laurens Centrix EXTRA - SA
Mittel- o. versetzter A. | middle or bottom side conn.

FAX / E-MAIL message

Fax Bestellung | order:

CZ: +420 519 430111*
BE: +32 11 555778
DE: +49 2324 346853
PL: +48 32 7853957

*) Direktlinie Werk | directline to the production

E-Mail Bestellung | order:

laurens@laurensint.com

Firma | company name:


Kontaktperson | contact person:

Adresse | address:


Telefon Nr. | phone no.:

E-Mail | e-mail:



Notiz | notes:



Empfohlene Höhen | recommended heights:
(B = 740, 960, 1320, 1680, 1850mm)
B_{min} = 400mm, B_{max} = 1850mm



Empfohlene Breiten | recommended widths:
(A = 300, 400, 450, 500, 600, 750, 1000mm)



**Mittelanschluss oder versetzter Anschluss
middle connection or bottom side connection**
l_{min} = 50mm